



MANOS DEL URUGUAY

Hasbroucks

by Elizabeth Nields



SIZE

Women's medium: finished circumference approx. 7"
unstretched

MATERIALS

Manos del Uruguay Silk Blend (50g, approx. 150 yds; 70%
extrafine merino wool, 30% silk), 1 sk. Shown in 3044
Briar.

US 4/3.5 mm dpn, OR SIZE TO OBTAIN GAUGE

US 3/3.25 mm dpn

Marker

Cable ndl

St holder

GAUGE

32 sts and 32 rows = 4"/10 cm in Trellis Cable, un-
stretched

ABBREVIATIONS

C2L = Sl next st to cn and hold at front of work; p l; k l tbl
from cn.

C2R = Sl next st to cn and hold at back of work; k l tbl;
p l from cn.

kf&b = K into front and back of st.

pf&b = p into front and back of st.

M1PL = Insert left ndl, front to back, into loop between
sts; p l tbl.

M1PR = Insert left ndl, back to front, into loop between
sts; p l.

TWR2 = K 2 sts tog and leave on ndl; k first st tbl, slip
both sts off ndl

TWL2 = K into back of second st on LH ndl and leave on
ndl; k first st tbl; slip both sts off needle.



*STITCH GUIDE**Trellis Cable (over 12 sts)*

Set up rnds, 1 – 4.

Rnd 1: K1tbl, p1, k1tbl, p2, TWR2, p2, k1tbl, p1, k1tbl.

Rnd 2: K1tbl, p1, k1tbl, p2, k2tbl, p2, k1tbl, p1, k1tbl.

Rnd 3: K1tbl, p1 (C2L, C2R) 2 times, p1, k1tbl.

Rnd 4: K1tbl, (p2, k2tbl) 2 times, p2, k1tbl.

Rnd 5: K1tbl, (p2, TW2L) 2 times, p2, k1tbl.

Rnd 6: K1tbl, (p2, k2tbl) 2 times, p2, k1tbl.

Rnd 7: (C2L, C2R) 3 times.

Rnd 8: P1, (k2tbl, p2) 2 times, k2tbl, p1.

Rnd 9: P1, (TW2R, p2) 2 times, TW2R, p1.

Rnd 10: P1, (k2tbl, p2) 2 times, k2tbl, p1.

Rnd 11: (C2R, C2L) 3 times.

Rnd 12: K1tbl, (p2, k2tbl) 2 times, p2, k1tbl.

Rep rnds 5 – 12 for Trellis Cable.

Small Cable (over 8 sts)

Rnd 1: K1tbl, p1, C2L, C2R, p1, k1tbl.

Rnd 2: K1tbl, p2, k2tbl, p2, k1tbl.

Rnd 3: K1tbl, p2, TW2R, p2, k1tbl.

Rnd 4: K1tbl, p2, k2tbl, p2, k1tbl.

Rnd 5: K1tbl, p1, C2R, C2L, p1, k1tbl.

Rnds 6 – 8: K1tbl, p1, k1tbl, p2, k1tbl, p1, k1tbl.

Rep rnds 1 – 8 for Small Cable.

*INSTRUCTIONS**LEFT MITT*

With larger ndls, CO 48 sts. Divide evenly, pm to show beg of rnd, and join, being careful not to twist. Rnds 1 – 6: *K1tbl, p1; rep from * to end of rnd. ** Inc rnd: K1tbl, p1, k1tbl, pf&b, (k1tbl, p1) 4 times, k1tbl, p2, kf&b, p2, (k1tbl, p1) 4 times, k1tbl, pf&b, (k1tbl, p1) 10 times. 51 sts. Note: While establishing pattern it may be helpful to place markers on either side of cable patt sts. Est patts: Work Rnd 1 of Small Cable over 8 sts, p1, k1tbl, p1, work Rnd 1 of Trellis Cable over 12 sts, p1, k1tbl, p1, work 8 sts of Small Cable, (p1, k1tbl) to end of round, ending with p1. Cont to work in cable and rib patt as est. If a tighter fit at the wrist is desired, change to smaller ndls when piece meas approx. 3". When piece meas 4", change back to larger ndls.

Inc for Thumb: Work all increased sts as purl. Inc in Small Cable at beg of rnd as foll: K1tbl, M1PR, work in patt over next 6 sts, M1PL, k1tbl, work in patt to end. Cont in patt as est and inc every 4th rnd 3 times, then every 2nd round 4 times – 63 sts. Work 4 rnds even. Next rnd: Work 20 thumb sts, slip these sts onto st holder; patt to end of rnd. Next rnd: Pick up 3 sts over thumb sts, working these sts into rib patt on next round. Work 4 rnds more, or desired length. Change to smaller ndls and work in rib patt as est for 3 rounds. BO in rib. Thumb: CO 3 sts, place held sts onto ndls, with RS facing work across thumb sts, dividing sts evenly between ndls. Work 6 rnds, or desired length, in patt as est, working cast-on sts as purl. In last rnd, dec within each p section by p2tog once. Change to smaller ndls and work in rib for 3 rnds. BO in rib.

RIGHT MITT

Work same as Left Mitt to **. Inc rnd: (K1tbl, p1) 9 times, k1tbl, p1f&b, (k1tbl, p1) 4 times, k1tbl, p2, kf&b, p2, (k1tbl, p1) 4 times, k1tbl, pf&b, (k1tbl, p1) twice. 51 sts. Est patts: (K1tbl, p1) 8 times, work Rnd 1 of Small Cable over 8 sts, p1, k1tbl, p1, work Rnd 1 of Trellis Cable over 12 sts, p1, k1tbl, p1, work 8 sts of Small Cable, p1. Work even as for Left Mitt to Thumb incs. Est Thumb incs: Patt to last 9 sts of rnd, k1tbl, M1PR, patt 6, M1PL, k1tbl, p1. Complete to match Left Mitt.

FINISHING

Weave in ends.